

L Number	Hits	Search Text	DB	Time stamp
21	1	(device and location and arbitrat\$5 and loop).ab. and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
22	0	(device and location and arbitrat\$5 and loop).ab. and @ad<20010327 and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
24	1	((arbitrated adj loop) same (loop with initializ\$5) same (unique with (id or identif\$5)) same device) and @ad<20010327 and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
25	1	((pbc or (port near bypass near circuit)) same (disabl\$5 or bypass\$4) same (id or identif\$5)) and @ad<20010327 and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
26	0	((pbc or (port near bypass near circuit)) same (wwid) same (id or identif\$5)) and @ad<20010327 and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
27	0	((pbc or (port near bypass near circuit)) same (worldwide or (world adj wide) or (unique adj identifier)) same (id or identif\$5)) and @ad<20010327 and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
23	2	((pbc or (port near bypass near circuit)) same (disabl\$5 or bypass\$4) same (id or identif\$5)) and (370/222.ccls. or 370/254.ccls. or 709/223.ccls. or 709/229.ccls. or 714/47.ccls. or 714/40.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
-	16	(device and location and arbitrat\$5 and loop).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:26
-	5	(device and location and arbitrat\$5 and loop).ab. and @ad<20010327	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
-	3	(device same (locat\$3 or position\$3) same arbitrat\$5 same loop) and @ad<20010327 and ((port near bypass near circuit) or PBC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 12:17
-	17	((pbc or (port near bypass near circuit)) same (disabl\$5 or bypass\$4) same (id or identif\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
-	7	((pbc or (port near bypass near circuit)) same (disabl\$5 or bypass\$4) same (id or identif\$5)) and @ad<20010327	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27

-	0	((pbc or (port near bypass near circuit)) same (wwid) same (id or identif\$5)) and @ad<20010327	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
-	1	((pbc or (port near bypass near circuit)) same (worldwide or (world adj wide) or (unique adj identifier)) same (id or identif\$5)) and @ad<20010327	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27
-	1	((pbc or (port near bypass near circuit)) same (worldwide or (world adj wide) or (unique adj identifier))) and @ad<20010327	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 15:34
-	2	((arbitrated adj loop) same (loop with initializ\$5) same (unique with (id or identif\$5)) same device) and @ad<20010327	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:27